

**PATIENT INFORMATION**

**Tekturna<sup>®</sup> (tek-turn-a)  
(aliskiren)  
tablets**

**Tekturna<sup>®</sup> Oral Pellets  
(aliskiren)  
oral pellets**

**What is the most important information I should know about Tekturna?**

**Tekturna can cause harm or death to your unborn baby.**

- Talk to your doctor about other ways to lower your blood pressure if you plan to become pregnant.
- If you become pregnant during treatment with Tekturna, stop taking Tekturna and tell your doctor right away.

**What is Tekturna?**

Tekturna is a prescription medicine used to treat high blood pressure (hypertension) in adults and children 6 years of age and older to lower blood pressure.

It is not known if Tekturna is safe and effective in children under 6 years of age.

**Do not take Tekturna if:**

- you have diabetes and are taking a kind of medicine called an angiotensin receptor blocker (ARB) or angiotensin-converting enzyme inhibitor (ACEI).
- you are allergic to any of the ingredients in Tekturna. See the end of this leaflet for a complete list of the ingredients in Tekturna.

**Do not give Tekturna to children less than 2 years of age.**

**Before taking Tekturna, tell your doctor about all of your medical conditions, including if you:**

- have kidney or heart problems.
- have diabetes.
- have ever had an allergic reaction to another blood pressure medicine.
- are pregnant or plan to become pregnant. See **“What is the most important information I should know about Tekturna?”**
- are breastfeeding or plan to breastfeed. It is not known if Tekturna passes into your breast milk. You should not breastfeed during treatment with Tekturna.

**Tell your doctor about all the medicines you take**, including prescription and over-the-counter medicines, vitamins and herbal supplements. **Especially tell your doctor if you are taking:**

- a kind of medicine to control blood pressure called angiotensin receptor blocker (ARB) or angiotensin-converting enzyme inhibitor (ACEI).
- water pills (also called “diuretics”).
- cyclosporine (Gengraf<sup>®</sup>, Neoral<sup>®</sup>, Sandimmune<sup>®</sup>)
- itraconazole (Onmel<sup>®</sup>, Sporanox<sup>®</sup>).
- potassium-containing medicines, potassium supplements, or salt substitutes containing potassium.
- nonsteroidal anti-inflammatory drugs (NSAIDs).

Ask your doctor if you are not sure if you are taking one of the medicines listed above.

Know the medicines you take. Keep a list of them to show your doctor or pharmacist when you get a new medicine. Your doctor or pharmacist will know what medicines are safe to take together.

**How should I take Tekturna tablets?**

- Take Tekturna exactly as your doctor tells you to take it.
- Take Tekturna 1 time a day, about the same time each day.
- Your doctor may change your dose if needed.

**How should I take Tekturna Oral Pellets?**

**See the detailed Instructions for Use for information about the right way to prepare, take or give a dose of Tekturna Oral Pellets.**

- Do not swallow the capsules containing Tekturna Oral Pellets.
- Do not chew or crush the contents of Tekturna Oral Pellets capsule.
- Take Tekturna Oral Pellets 1 time a day, at about the same time each day.
- Tekturna Oral Pellets may be taken by opening the capsule and emptying the contents into a spoon then into the mouth, and then swallowing right away with water or milk (dairy or soy-based) without chewing or crushing. Tekturna Oral Pellets may also be taken by opening the capsule and emptying the contents with 1 or more teaspoon of vanilla pudding (milk or soy based), vanilla ice cream (milk or soy based), milk (dairy or soy-based) or water. **Do not mix with any other foods or liquids.**

## What are possible side effects of Tekturna?

### Tekturna may cause serious side effects, including:

- See “What is the most important information I should know about Tekturna?”
- **Serious allergic reactions that can be life threatening.** Stop taking Tekturna and get emergency medical help right away and if you get any of these symptoms of a serious reactions during treatment with Tekturna:
  - trouble breathing or swallowing
  - chest tightness
  - raised bumps (hives)
  - rash
  - swelling of the face, lips, tongue, throat, arms, legs or the whole body
  - itching
  - dizziness
  - vomiting
  - stomach (abdomen) pain
- **Low blood pressure (hypotension).** Your blood pressure may get too low if you also take water pills, are on a low-salt diet, sweat more than normal, receive dialysis treatments, have heart problems, or have vomiting or diarrhea. Lie down if you feel faint or dizzy and call your doctor right away.
- **Kidney problems, including kidney failure.** Tell your doctor if you urinate less.
- **Increased potassium blood levels (hyperkalemia).** Your doctor will check your potassium blood level during treatment with Tekturna.

**The most common side effect of Tekturna** is diarrhea.

These are not all of the possible side effects of Tekturna.

Call your doctor for medical advice about side effects. You may report side effects to FDA at 1-800-FDA-1088.

## How should I store Tekturna tablets and Tekturna Oral Pellets?

- Store Tekturna at room temperature between 68°F to 77°F (20°C to 25°C).
- Keep Tekturna in the original container it comes in. Do not remove the desiccant (drying agent) from the bottle.
- Protect Tekturna from moisture.

### Keep Tekturna and all medicines out of the reach of children.

## General information about the safe and effective use of Tekturna.

Medicines are sometimes prescribed for purpose other than those listed in the Patient Information leaflet. Do not take Tekturna for a condition for which it was not prescribed. Do not give Tekturna to other people, even if they have the same symptoms that you have. It may harm them. You can ask your doctor or pharmacist for information that is written for healthcare professionals.

## What is high blood pressure (hypertension)?

Blood pressure is the force in your blood vessels when your heart beats and when your heart rests. You have high blood pressure when the force is too great. High blood pressure makes the heart work harder to pump blood through the body and causes damage to the blood vessels. Tekturna can help your blood vessels relax so your blood pressure is lower. Medicines that lower your blood pressure lower your chance of having a stroke or heart attack.

## What are the ingredients in Tekturna?

Tekturna is available as film-coated tablets, which contains 165.75 mg or 331.5 mg aliskiren hemifumerate (equivalent to 150 mg or 300 mg aliskiren).

**Active ingredient:** aliskiren hemifumarate

**Tekturna tablets inactive ingredients:** crospovidone, magnesium stearate, microcrystalline cellulose, povidone, silica, colloidal anhydrous, hypromellose, macrogol, talc, iron oxide, black (E172), iron oxide, red (E172), and titanium dioxide (E171).

**Tekturna Oral Pellets inactive ingredients:** basic butylated methacrylate copolymer, basic colloidal silicon dioxide, crospovidone, povidone, dibutyl sebacate, magnesium stearate, microcrystalline cellulose, and sodium lauryl sulphate.

Distributed by: NODEN PHARMA USA INC, 75 Arlington Street, Suite 500, Boston, MA 02116  
©2017 Noden Pharma USA Inc. All rights reserved. PCR-750-11182

For more information about Tekturna, go to [www.Tekturna.com](http://www.Tekturna.com), or call 1-844-399-5701.

## INSTRUCTIONS FOR USE

Tekturna® (tek-turn-a)  
(aliskiren)  
Oral Pellets


**Important: Do not swallow the capsules that contain Tekturna Oral Pellets.  
Do not chew or crush the Tekturna Oral Pellets.**


- Read this Instructions for Use before taking or giving a dose of Tekturna Oral Pellets to be sure you prepare and take or give the Oral Pellets correctly.
- Follow your doctor's instructions for the dose of Tekturna Oral Pellets to take or give. The dose is based on body weight. The prescribed dose may be the contents of 1 to 8 capsules of Tekturna Oral Pellets.
- Ask your doctor or pharmacist if you are not sure how to prepare, take, or give the prescribed dose of Tekturna Oral Pellets.

### Preparing and giving a dose of Tekturna Oral Pellets

Tekturna Oral Pellets may be taken by opening the capsule and emptying the contents into a spoon then into the mouth, and then swallowing right away with water or milk (dairy or soy-based) without chewing or crushing.

**Tekturna Oral Pellets may also be taken as follows:**

<p><b>Step1:</b> Remove the prescribed number of capsules in blisters of Tekturna Oral Pellets from the carton.</p> <p>Open a blister and remove a capsule as shown in the figure.</p> <p><b>Do not swallow the capsule.</b></p>	<p><b>How to Open Blister</b></p> <p>1. Detach a blister.      2. Tear along split.</p> 
<p><b>Step2:</b> Prepare 1 or more teaspoons of vanilla pudding (milk or soy-based), vanilla ice cream (milk or soy-based), milk (dairy or soy-based) or water.</p> <p><b>Do not use any other food or liquids.</b></p>	

<p><b>Step3:</b> Open the Tekturna capsule.</p> <p>Hold the capsule upright with the section of the capsule imprinted with <b>NVR12</b> at the top.</p> <p>Keeping the capsule upright and using a twisting motion, carefully pull apart the two sections of the capsule.</p>	
<p><b>Step4:</b> Pour the entire contents of the capsule onto the food or liquid.</p> <p>Make sure that no Tekturna Oral Pellets remain in the capsule or capsules.</p>	
<p>Take or give all of the food or liquid and Tekturna Oral Pellets combination right away. Swallow combination without chewing or crushing.</p>	

**How should I store Tekturna Oral Pellets?**

- Store Tekturna Oral Pellets at room temperature between 68°F to 77°F (20°C to 25°C).
- Keep Tekturna Oral pellets in the blister packages in the original container.
- Protect Tekturna Oral Pellets from moisture.

**Keep Tekturna Oral Pellets and all medicines out of the reach of children.**

Distributed by:  
 NODEN PHARMA USA INC  
 75 Arlington Street, Suite 500  
 Boston, MA 02116

©2017 Noden Pharma USA Inc. All rights reserved.  
 PCR-750-11182

This Instructions for Use has been approved by the U.S. Food and Drug Administration.

Issued: November/2017